

Pittsfield High School

2017 Youth Risk Behavior Survey Report Time Trends by Sex and by Grade

Capital Public Health Region

Introduction

The 2017 Youth Risk Behavior Survey (YRBS) report presents data which demonstrate the association between health-risk behaviors by sex and grade. We hope this report is useful in understanding high school student behaviors and assists you in developing educational programs, curriculum and communication tools to encourage and support healthy behaviors among students in your communities.

School-level Estimates

The 2017 survey response rate at Pittsfield High School was 91%, meaning 151 of 166 enrolled students took the survey¹. School-level estimates are unweighted and based on a convenience sample of students in attendance and not opting out of participation in the YRBS on a given date and time during the school year. Results could be less representative if specific classrooms or classroom types were not included in the survey. To account for this and provide risk-behavior estimates for the entire school, we extrapolated survey results using school enrollment data.


State and Regional Estimates

State and regional estimates were calculated from a random sample developed using scientific survey methods. These methods ensure the respondents are representative of students in the region in the state. The results account for student, classroom, school, and regional factors. The random sample is not designed to provide school-level estimates. Note: access to region-level results were first made available in 2015 and are not available prior to that year.

Data that had a representative sample of students, appropriate documentation, and an overall response rate greater than or equal to 60%² were weighted. Four Public Health Region areas were not weighted due to low overall response rate: **Central NH, Carroll County, South Central and Seacoast**.

This report is produced in a partnership with the NH Department of Education and the NH Department of Health and Human Services.

Responses by Sex and Grade*



*Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

¹Total students in bar graphs may not reflect the total surveyed as some students may choose not to self-identify by sex or grade.

²Overall response rate is computed as (number of participating schools/number of eligible sampled schools) X (number of usable questionnaires/number of eligible students sampled in participating schools), rounded to the nearest integer.

Regional Public Health Network Substance Misuse Prevention Coordinators are available to assist schools in coordinating community projects that promote healthy behaviors and educate school officials and stakeholders. Coordinators may also assist schools in obtaining school and community grant funding.

Your contact is:

Capital Public Health Region: Annika Stanley-Smith ;

Phone: 603-224-2595 X 224; email: annika.stanley-smith@graniteuw.org

Help and assistance

Questions on this report

Health Statistics and Data Management

Division of Public Health Services - State of NH

NH.YouthRiskBehaviorSurvey@dhhs.nh.gov; (603) 271-4988;

Additional technical assistance for YRBS related information

NH Center for Excellence

nhcenterforexcellence@jsi.com; (603) 573-3300

<http://nhcenterforexcellence.org/center-services/request-ta/>

Notes

You may find very small discrepancies between the 2015 estimates reported in this report and the results reported two years ago. The differences are caused by an improved data cleaning routine in the new survey. The results from this 2017 analysis and reports should be used if you find any discrepancies.

Change Log

v1.0: Final report released March 31th, 2018.

Category: Drug Use - Behaviors

Number and Percent of students who tried marijuana for the first time before age 13 years

School

9.6%

16 of 161 students*

Region




3.4%

205 of 6,028 students+

NH

5.3%

2,929 of 54,867 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	5,365	8.4
2011	17	10.7	-	-	4,775	7.7
2013	12	7.0	-	-	3,858	6.6
2015	22	12.9	328	5.4	3,511	6.1
2017	16	9.6	205	3.4	2,929	5.3
Sex						
Female	10	12.5	59	2.1	932	3.6
Male	6	7.0	133	4.3	1,888	6.8
Grade						
09th	s	s	42	2.7	701	4.9
10th	s	s	55	3.5	681	4.9
11th	s	s	26	1.9	736	5.6
12th	8	25.0	74	5.3	694	5.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How old were you when you tried marijuana for the first time?

a: I have never tried marijuana ; b: 8 years old or younger ; c: 9 or 10 years old ; d: 11 or 12 years old ; e: 13 or 14 years old ; f: 15 or 16 years old ; g: 17 years old or older;

Numerator: bcd; denominator: abcdefg;

Question number: 40; 2007q40; 2009q37; 2011q40; 2013q46; 2015q42; 2017q44;

Category: Drug Use - Behaviors

Number and Percent of students who currently used marijuana

School

22.4%

37 of 162 students*

Region




23.6%

1,427 of 6,045 students+

NH

23.1%

12,659 of 54,837 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	16,474	25.6
2011	32	20.9	-	-	17,622	28.4
2013	27	15.6	-	-	14,331	24.4
2015	46	26.6	1,173	19.3	12,663	22.2
2017	37	22.4	1,427	23.6	12,659	23.1
Sex						
Female	24	28.8	753	26.3	5,706	21.9
Male	11	14.1	654	21.2	6,718	24.0
Grade						
09th	s	s	213	13.4	1,877	13.1
10th	11	25.6	294	18.2	2,587	18.8
11th	7	17.6	417	30.4	3,813	28.8
12th	14	42.9	482	34.7	4,124	32.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you use marijuana?

a: 0 times ; b: 1 or 2 times ; c: 3 to 9 times ; d: 10 to 19 times ; e: 20 to 39 times ; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 41; 2007q41; 2009q38; 2011q41; 2013q47; 2015q43; 2017q45;

Category: Drug Use - Behaviors

Number and Percent of students who ever used heroin (also called “smack,” “junk,” or “China White”) one or more times during their life

School

4.7%

8 of 164 students*

Region




1.7%

103 of 6,097 students+

NH

1.8%

999 of 55,211 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	1,938	3.0
2011	8	5.1	-	-	2,216	3.6
2013	7	4.2	-	-	1,590	2.7
2015	12	7.2	210	3.4	1,387	2.4
2017	8	4.7	103	1.7	999	1.8
Sex						
Female	s	s	25	0.9	251	1.0
Male	6	6.8	68	2.2	657	2.3
Grade						
09th	0	0.0	43	2.7	197	1.4
10th	s	s	5	0.3	142	1.0
11th	s	s	9	0.6	228	1.7
12th	s	s	39	2.8	329	2.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used heroin (also called smack, junk, or China White)?

a: 0 times ; b: 1 or 2 times ; c: 3 to 9 times ; d: 10 to 19 times ; e: 20 to 39 times ; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 46; 2007q46; 2009q47; 2011q50; 2013q51; 2015q47; 2017q46;

Category: Drug Use - Behaviors

Number and Percent of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice") one or more times during their life

School

4.7%

8 of 164 students*

Region

1.5%

91 of 6,087 students+

NH

1.8%

994 of 55,171 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	3,030	4.7
2011	8	5.1	-	-	2,627	4.2
2013	7	4.2	-	-	1,677	2.9
2015	16	9.6	161	2.6	1,415	2.5
2017	8	4.7	91	1.5	994	1.8
Sex						
Female	s	s	15	0.5	217	0.8
Male	6	6.8	69	2.2	702	2.5
Grade						
09th	0	0.0	43	2.7	171	1.2
10th	s	s	2	0.1	114	0.8
11th	0	0.0	6	0.4	264	2.0
12th	s	s	33	2.3	341	2.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

a: 0 times ; b: 1 or 2 times ; c: 3 to 9 times ; d: 10 to 19 times ; e: 20 to 39 times ; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 47; 2007q47; 2009q48; 2011q51; 2013q52; 2015q48; 2017q47;

Category: Drug Use - Behaviors

Number and Percent of students who ever used ecstasy (also called "MDMA") one or more times during their life

School

6.0%

10 of 164 students*

Region




3.3%

199 of 6,092 students+

NH

3.0%

1,652 of 54,398 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	4,415	6.8
2011	10	6.6	-	-	5,425	8.7
2013	6	3.5	-	-	4,329	7.4
2015	15	8.8	247	4.0	2,544	4.5
2017	10	6.0	199	3.3	1,652	3.0
Sex						
Female	s	s	41	1.4	487	1.9
Male	s	s	148	4.8	1,068	3.8
Grade						
09th	0	0.0	43	2.7	224	1.6
10th	s	s	19	1.2	305	2.2
11th	0	0.0	45	3.3	476	3.6
12th	6	17.9	81	5.7	546	4.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used ecstasy (also called MDMA)?

a: 0 times ; b: 1 or 2 times ; c: 3 to 9 times ; d: 10 to 19 times ; e: 20 to 39 times ; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 48; 2007q48; 2009q49; 2011q52; 2013q53; 2015q49; 2017q48;

Category: Drug Use - Behaviors

Number and Percent of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks") one or more times during their life

School

8.7%

14 of 164 students*

Region




4.3%

261 of 6,088 students+

NH

5.6%

3,071 of 54,381 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	18	10.6	-	-	8,097	13.8
2015	31	18.4	529	8.6	5,179	9.2
2017	14	8.7	261	4.3	3,071	5.6
Sex						
Female	7	8.2	114	4.0	1,269	4.9
Male	8	9.6	135	4.3	1,664	6.0
Grade						
09th	s	s	58	3.7	517	3.6
10th	s	s	74	4.6	679	5.0
11th	s	s	32	2.3	810	6.2
12th	8	25.0	88	6.2	922	7.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?

a: 0 times ; b: 1 or 2 times ; c: 3 to 9 times ; d: 10 to 19 times ; e: 20 to 39 times ; f: 40 or more times;

Numerator: bcdef; denominator: abcdefg;

Question number: 155; 2007q999; 2009q999; 2011q999; 2013q48; 2015q50; 2017q49;

Category: Drug Use - Behaviors

Number and Percent of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) one or more times during their life

School

12.8%

21 of 163 students*

Region




11.7%

706 of 6,047 students+

NH

11.5%

6,223 of 54,031 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	13,164	20.4
2011	32	20.4	-	-	12,936	20.8
2013	17	9.9	-	-	9,725	16.5
2015	34	20.0	819	13.4	7,591	13.4
2017	21	12.8	706	11.7	6,223	11.5
Sex						
Female	9	11.1	361	12.6	2,704	10.5
Male	11	13.7	326	10.5	3,332	12.1
Grade						
09th	s	s	184	11.8	1,156	8.2
10th	6	12.5	143	8.9	1,197	8.8
11th	s	s	150	10.9	1,695	13.0
12th	8	25.0	213	15.1	1,992	15.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times ; b: 1 or 2 times ; c: 3 to 9 times ; d: 10 to 19 times ; e: 20 to 39 times ; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 101; 2007q999; 2009q42; 2011q45; 2013q54; 2015q51; 2017q50;

Category: Drug Use - Behaviors

Number and Percent of students who currently took a prescription drug without a doctor's prescription
(such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

10.1%

17 of 164 students*

Region




5.1%

308 of 6,034 students+

NH

5.2%

2,802 of 53,934 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	6,678	10.4
2011	20	13.1	-	-	7,187	11.5
2013	10	5.6	-	-	4,495	7.6
2015	15	8.8	402	6.6	3,840	6.8
2017	17	10.1	308	5.1	2,802	5.2

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	s	s	133	4.6	1,120	4.4
Male	11	13.7	156	5.1	1,579	5.7

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	s	s	73	4.7	454	3.2
10th	s	s	38	2.4	531	3.9
11th	0	0.0	89	6.4	740	5.7
12th	8	25.0	93	6.6	950	7.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: 0 times ; b: 1 or 2 times ; c: 3 to 9 times ; d: 10 to 19 times ; e: 20 to 39 times ; f: 40 or more times;

Numerator: bcdef; denominator: abcdef;

Question number: 102; 2007q999; 2009q43; 2011q46; 2013q55; 2015q52; 2017q51;

Category: Drug Use - Behaviors

Number and Percent of students who were offered, sold, or given an illegal drug on school property during the past 12 months

School

11.4%

19 of 164 students*

Region




17.8%

1,079 of 6,071 students+

NH

16.3%

8,956 of 55,101 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	14,292	22.1
2011	22	14.0	-	-	14,378	23.1
2013	16	9.2	-	-	11,779	20.1
2015	27	16.0	1,061	17.3	9,470	16.5
2017	19	11.4	1,079	17.8	8,956	16.3

Sex

Female	6	6.8	514	17.9	3,864	14.8
Male	11	13.7	526	17.0	4,883	17.4

Grade

09th	s	s	234	14.9	1,864	12.9
10th	6	12.2	267	16.7	2,497	18.1
11th	s	s	283	20.4	2,376	17.9
12th	s	s	252	17.8	2,030	15.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 51; 2007q51; 2009q51; 2011q54; 2013q56; 2015q53; 2017q52;

Category: Drug Use - Perceptions

Number and Percent of students who recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs during the past 12 months

School

54.7%

91 of 163 students*

Region




67.2%

4,073 of 6,062 students+

NH

68.6%

37,151 of 54,138 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	110	64.5	-	-	39,043	66.9
2015	120	70.2	4,756	78.2	44,698	79.6
2017	91	54.7	4,073	67.2	37,151	68.6
Sex						
Female	49	60.3	1,935	67.3	18,136	70.4
Male	39	48.6	2,086	67.5	18,483	67.0
Grade						
09th	31	65.1	1,133	72.3	9,722	68.8
10th	22	50.0	1,039	64.5	9,421	69.5
11th	19	50.0	999	72.3	9,038	69.0
12th	17	53.6	852	60.3	8,488	67.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, do you recall hearing, reading, or seeing a public message about avoiding alcohol or other illegal drugs?

a: Yes ; b: No ; c: Not sure;

Numerator: a; denominator: abc;

Question number: 188; 2007q999; 2009q999; 2011q999; 2013q99; 2015q78; 2017q53;

Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they use marijuana once or twice a week

School

16.3%

27 of 162 students*

Region




16.3%

958 of 5,873 students+

NH

16.1%

8,561 of 53,259 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	47	27.5	-	-	12,678	21.7
2015	36	21.1	1,077	17.7	10,245	18.3
2017	27	16.3	958	16.3	8,561	16.1
Sex						
Female	10	12.2	414	14.9	4,369	17.2
Male	17	21.1	534	17.8	4,090	15.1
Grade						
09th	8	16.3	385	25.4	3,498	25.2
10th	8	17.1	281	18.0	2,207	16.6
11th	8	21.2	140	10.4	1,561	12.1
12th	s	s	143	10.5	1,187	9.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they use marijuana once or twice a week?

a: No risk ; b: Slight risk ; c: Moderate risk ; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 160; 2007q999; 2009q999; 2011q999; 2013q83; 2015q85; 2017q86;

Category: Drug Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

59.2%

98 of 162 students*

Region




63.3%

3,704 of 5,853 students+

NH

63.2%

33,668 of 53,275 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	91	58.4	-	-	37,816	60.9
2013	101	59.2	-	-	36,841	63.0
2015	110	64.2	3,862	63.6	35,154	62.8
2017	98	59.2	3,704	63.3	33,668	63.2
Sex						
Female	51	60.8	1,792	64.6	17,319	68.1
Male	45	56.3	1,850	61.8	15,880	58.6
Grade						
09th	28	58.1	923	61.6	8,549	61.6
10th	24	51.2	964	61.7	8,672	64.8
11th	27	72.7	894	66.4	8,164	63.4
12th	18	57.1	867	63.6	7,874	63.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: No risk ; b: Slight risk ; c: Moderate risk ; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 161; 2007q999; 2009q999; 2011q85; 2013q84; 2015q86; 2017q87;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to smoke marijuana

School

40.1%

67 of 162 students*

Region




37.5%

2,201 of 5,870 students+

NH

37.3%

19,913 of 53,390 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	86	50.0	-	-	23,934	41.0
2015	71	41.5	2,748	45.2	24,023	42.9
2017	67	40.1	2,201	37.5	19,913	37.3
Sex						
Female	29	35.1	1,051	37.7	10,184	40.0
Male	37	46.5	1,139	38.0	9,507	35.1
Grade						
09th	28	58.1	781	51.9	7,508	54.0
10th	17	36.6	626	40.0	5,167	38.6
11th	14	36.4	430	31.7	3,951	30.5
12th	7	21.4	347	25.6	3,068	24.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to smoke marijuana?

a: Very wrong ; b: Wrong ; c: A little bit wrong ; d: Not at all wrong ; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 164; 2007q999; 2009q999; 2011q999; 2013q87; 2015q89; 2017q90;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

81.0%

134 of 162 students*

Region




81.4%

4,758 of 5,847 students+

NH

80.5%

42,891 of 53,283 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	124	72.5	-	-	45,392	77.7
2015	135	78.9	5,102	84.0	45,635	81.4
2017	134	81.0	4,758	81.4	42,891	80.5
Sex						
Female	71	85.1	2,381	85.4	21,697	85.3
Male	61	76.1	2,325	78.1	20,637	76.3
Grade						
09th	43	88.4	1,233	82.7	11,375	82.2
10th	37	80.5	1,240	79.5	10,783	80.6
11th	30	81.8	1,146	84.6	10,431	80.7
12th	21	67.9	1,079	79.4	9,787	79.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong ; b: Wrong ; c: A little bit wrong ; d: Not at all wrong ; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 165; 2007q999; 2009q999; 2011q999; 2013q88; 2015q90; 2017q91;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to smoke marijuana

School

68.0%

113 of 162 students*

Region




77.0%

4,501 of 5,844 students+

NH

78.8%

42,017 of 53,300 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	141	82.4	-	-	48,011	82.4
2015	138	80.5	5,096	84.0	46,552	83.0
2017	113	68.0	4,501	77.0	42,017	78.8

Sex						
Female	51	60.0	2,100	75.5	20,143	79.1
Male	61	77.1	2,354	79.0	21,281	78.7

Grade						
09th	35	72.1	1,236	82.9	11,946	86.1
10th	38	85.0	1,263	81.0	10,920	81.6
11th	21	55.9	1,047	77.3	9,879	76.4
12th	16	50.0	910	67.1	8,728	70.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to smoke marijuana?

a: Very wrong ; b: Wrong ; c: A little bit wrong ; d: Not at all wrong ; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 168; 2007q999; 2009q999; 2011q999; 2013q91; 2015q93; 2017q94;

Category: Drug Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to take a prescription drug without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

93.8%

156 of 161 students*

Region




92.6%

5,434 of 5,866 students+

NH

94.2%

50,208 of 53,304 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	141	91.1	-	-	57,568	93.3
2013	155	90.8	-	-	55,041	94.1
2015	157	91.9	5,727	94.2	53,132	94.9
2017	156	93.8	5,434	92.6	50,208	94.2
Sex						
Female	80	95.9	2,584	93.3	24,260	95.7
Male	74	91.5	2,774	92.3	25,229	92.9
Grade						
09th	44	95.1	1,354	92.0	13,086	94.4
10th	42	90.2	1,452	92.9	12,694	95.0
11th	39	97.1	1,308	96.4	12,174	94.4
12th	30	92.9	1,251	89.9	11,606	93.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to take a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?

a: Very wrong; b: Wrong; c: A little bit wrong; d: Not at all wrong; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 139; 2007q999; 2009q999; 2011q95; 2013q92; 2015q94; 2017q95;

Category: Drug Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some marijuana if they wanted to

School

37.2%

62 of 159 students*

Region




42.6%

2,469 of 5,791 students+

NH

41.4%

21,919 of 52,903 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	27,992	43.8
2011	57	37.0	-	-	29,322	47.7
2013	61	35.5	-	-	27,271	47.1
2015	72	42.3	2,391	39.5	23,199	41.6
2017	62	37.2	2,469	42.6	21,919	41.4
Sex						
Female	32	39.4	1,146	41.8	10,048	39.9
Male	29	34.7	1,285	43.2	11,513	42.7
Grade						
09th	15	31.7	395	27.4	3,665	26.8
10th	15	31.7	655	42.6	5,145	38.9
11th	13	32.4	667	49.3	6,349	49.3
12th	18	57.1	718	51.9	6,429	51.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get some marijuana, how hard or easy would it be for you to get some?

a: Very hard ; b: Sort of hard ; c: Sort of easy ; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 98; 2007q98; 2009q97; 2011q98; 2013q96; 2015q98; 2017q98;

Category: Drug Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some prescription drug without a doctor's prescription if they wanted to (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax)

School

12.4%

21 of 159 students*

Region




14.0%

816 of 5,821 students+

NH

13.5%

7,141 of 52,920 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	31	20.0	-	-	11,770	19.2
2013	24	14.2	-	-	9,899	17.1
2015	35	20.3	727	12.0	8,164	14.7
2017	21	12.4	816	14.0	7,141	13.5
Sex						
Female	9	11.3	374	13.6	3,059	12.1
Male	11	13.9	430	14.4	3,939	14.6
Grade						
09th	6	12.2	157	10.8	1,583	11.6
10th	7	14.6	232	15.1	1,617	12.2
11th	s	s	155	11.4	2,003	15.6
12th	7	21.4	262	18.8	1,784	14.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription, how hard or easy would it be for you to get some?

a: Very hard ; b: Sort of hard ; c: Sort of easy ; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 140; 2007q999; 2009q999; 2011q99; 2013q98; 2015q99; 2017q99;

Category: Alcohol Use - Behaviors

Number and Percent of students who drove when they had been drinking alcohol in a car or other vehicle one or more times during the past 30 days (among students who had driven a car or other vehicle)

School

6.4%

6 of 86 students*

Region

5.7%

213 of 3,719 students+

NH

5.8%

1,948 of 33,436 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	s	s	-	-	2,989	8.4
2015	9	9.8	205	5.7	2,164	6.3
2017	6	6.4	213	5.7	1,948	5.8
Sex						
Female	s	s	96	5.4	722	4.5
Male	s	s	105	5.6	1,150	6.8
Grade						
09th	0	0.0	6	1.9	141	4.9
10th	s	s	44	4.1	269	3.0
11th	0	0.0	51	4.5	641	6.1
12th	s	s	103	9.1	802	7.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

a: I did not drive a car or other vehicle during the past 30 days ; b: 0 times ; c: 1 time ; d: 2 or 3 times ; e: 4 or 5 times ; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 143; 2007q999; 2009q999; 2011q999; 2013q13; 2015q13; 2017q13;

Category: Alcohol Use - Behaviors

Number and Percent of students who had their first drink of alcohol before age 13 years (other than a few sips)

School

18.8%

31 of 158 students*

Region




11.0%

660 of 5,986 students+

NH

10.7%

5,826 of 54,539 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	9,548	14.8
2011	40	25.7	-	-	8,929	14.3
2013	23	13.5	-	-	6,984	11.9
2015	33	19.0	648	10.6	6,155	10.8
2017	31	18.8	660	11.0	5,826	10.7
Sex						
Female	15	18.3	249	8.8	2,183	8.4
Male	16	20.0	387	12.6	3,468	12.5
Grade						
09th	9	19.0	141	9.2	1,720	12.0
10th	9	21.6	137	8.7	1,305	9.6
11th	6	14.3	162	11.7	1,388	10.5
12th	6	18.5	213	15.1	1,238	9.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How old were you when you had your first drink of alcohol other than a few sips?

a: I have never had a drink of alcohol other than a few sips ; b: 8 years old or younger ; c: 9 or 10 years old ; d: 11 or 12 years old ; e: 13 or 14 years old ; f: 15 or 16 years old ; g: 17 years old or older;

Numerator: bcd; denominator: abcdefg;

Question number: 34; 2007q34; 2009q31; 2011q34; 2013q40; 2015q38; 2017q40;

Category: Alcohol Use - Behaviors

Number and Percent of students who currently drank alcohol

School

27.0%

45 of 151 students*

Region




29.4%

1,733 of 5,903 students+

NH

29.6%

15,841 of 53,443 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	23,854	39.3
2011	50	32.1	-	-	22,551	38.4
2013	46	27.1	-	-	18,043	32.9
2015	54	31.6	1,801	30.6	16,562	29.9
2017	45	27.0	1,733	29.4	15,841	29.6
Sex						
Female	30	36.2	939	33.5	7,814	30.7
Male	13	16.9	770	25.6	7,746	28.5
Grade						
09th	6	12.8	208	13.6	2,227	15.9
10th	11	24.3	380	23.9	3,406	25.5
11th	12	31.2	519	39.2	4,468	34.6
12th	13	42.3	590	43.0	5,431	43.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have at least one drink of alcohol?

a: 0 days ; b: 1 or 2 days ; c: 3 to 5 days ; d: 6 to 9 days ; e: 10 to 19 days ; f: 20 to 29 days ; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 35; 2007q35; 2009q32; 2011q35; 2013q41; 2015q39; 2017q41;

Category: Alcohol Use - Behaviors

Number and Percent of students who drank five or more drinks of alcohol in a row (within a couple of hours) on at least 1 day during the past 30 days

School

15.3%

25 of 165 students*

Region




16.0%

970 of 6,078 students+

NH

16.0%

8,687 of 54,284 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	15,389	24.0
2011	40	25.7	-	-	14,709	23.8
2013	24	14.1	-	-	10,054	17.3
2015	38	22.0	910	15.0	9,539	16.8
2017	25	15.3	970	16.0	8,687	16.0

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	12	14.9	466	16.2	3,719	14.4
Male	12	15.1	483	15.5	4,747	17.1

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	0	0.0	100	6.3	1,013	7.1
10th	6	12.2	185	11.5	1,765	13.0
11th	8	20.0	240	17.4	2,453	18.7
12th	10	32.1	425	30.0	3,232	25.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

a: 0 days ; b: 1 day ; c: 2 days ; d: 3 to 5 days ; e: 6 to 9 days ; f: 10 to 19 days ; g: 20 or more days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 36; 2007q36; 2009q33; 2011q36; 2013q43; 2015q40; 2017q42;

Category: Alcohol Use - Behaviors

Number and Percent of students who usually obtained the alcohol they drank by someone giving it to them (among students who drank alcohol) during the past 30 days

School

36.1%

16 of 40 students*

Region




40.2%

664 of 1,652 students+

NH

40.1%

6,178 of 15,408 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	7,169	31.1
2011	10	20.5	-	-	7,314	33.0
2013	16	35.1	-	-	7,145	40.3
2015	24	44.4	721	40.9	6,860	42.3
2017	16	36.1	664	40.2	6,178	40.1

Sex

Female	14	45.8	389	43.3	3,574	46.8
Male	s	s	268	36.5	2,539	33.8

Grade

09th	s	s	89	43.7	839	39.0
10th	s	s	143	40.4	1,323	40.0
11th	s	s	207	41.3	1,640	37.9
12th	6	45.5	210	37.4	2,292	43.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how did you usually get the alcohol you drank?

a: I did not drink alcohol during the past 30 days ; b: I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station ; c: I bought it at a restaurant, bar, or club ; d: I bought it at a public event such as a concert or sporting event ; e: I gave someone else money to buy it for me ; f: Someone gave it to me ; g: I took it from a store or family member ; h: I got it some other way;

Numerator: f; denominator: bcdefgh;

Question number: 37; 2007q37; 2009q34; 2011q37; 2013q44; 2015q41; 2017q43;

Category: Alcohol Use - Perceptions

Number and Percent of students who think people are at great risk of harming themselves (physically or in other ways) if they have five or more drinks of alcohol once or twice a week (beer, wine, or liquor)

School

26.7%

44 of 161 students*

Region




35.5%

2,086 of 5,872 students+

NH

36.5%

19,448 of 53,342 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	57	33.1	-	-	21,369	36.5
2015	56	32.5	2,449	40.2	22,940	40.9
2017	44	26.7	2,086	35.5	19,448	36.5
Sex						
Female	20	24.3	1,048	37.6	10,292	40.4
Male	23	28.6	1,003	33.4	8,901	32.8
Grade						
09th	14	27.9	538	35.3	5,303	38.0
10th	11	25.0	654	41.9	5,126	38.4
11th	13	33.3	438	32.7	4,712	36.5
12th	6	17.9	424	31.0	4,082	32.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they have five or more drinks of alcohol (beer, wine, or liquor) once or twice a week?

a: No risk ; b: Slight risk ; c: Moderate risk ; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 159; 2007q999; 2009q999; 2011q999; 2013q82; 2015q84; 2017q85;

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine, or liquor)

School

51.0%

85 of 162 students*

Region


57.0%

3,344 of 5,865 students+

NH

56.7%

30,264 of 53,338 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	77	45.1	-	-	31,119	53.3
2015	73	42.6	3,504	57.9	31,928	57.1
2017	85	51.0	3,344	57.0	30,264	56.7
Sex						
Female	44	52.7	1,693	60.8	15,957	62.6
Male	40	49.3	1,618	54.0	13,936	51.5
Grade						
09th	30	62.8	1,006	66.6	9,352	67.2
10th	27	58.5	903	57.8	7,689	57.5
11th	16	42.4	730	53.9	6,886	53.2
12th	10	32.1	664	49.0	6,001	48.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong ; b: Wrong ; c: A little bit wrong ; d: Not at all wrong ; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 163; 2007q999; 2009q999; 2011q999; 2013q86; 2015q88; 2017q89;

Category: Alcohol Use - Perceptions

Number and Percent of students who approve or strongly approve of someone their age having one or two drinks of alcohol nearly every day

School

11.6%

19 of 161 students*

Region




6.5%

377 of 5,840 students+

NH

6.3%

3,341 of 53,247 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	11	6.4	-	-	4,225	7.3
2015	31	18.0	497	8.2	4,554	8.1
2017	19	11.6	377	6.5	3,341	6.3
Sex						
Female	8	9.6	116	4.2	873	3.4
Male	11	14.1	256	8.6	2,366	8.7
Grade						
09th	6	11.6	56	3.8	623	4.5
10th	6	12.5	81	5.2	773	5.8
11th	s	s	87	6.4	836	6.5
12th	6	17.9	142	10.5	1,013	8.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How do you feel about someone your age having one or two drinks of alcohol (beer, wine, or liquor) nearly every day?

a: Strongly approve ; b: Approve ; c: Neither approve nor disapprove ; d: Disapprove ; e: Strongly disapprove;

Numerator: ab; denominator: abcde;

Question number: 169; 2007q999; 2009q999; 2011q999; 2013q93; 2015q95; 2017q92;

Category: Alcohol Use - Perceptions

Number and Percent of students who reported that their parents feel it would be wrong or very wrong for them to have one or two drinks of an alcoholic beverage nearly every day (beer, wine or liquor)

School

85.8%

142 of 163 students*

Region




87.0%

5,086 of 5,847 students+

NH

89.1%

47,508 of 53,312 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	142	83.1	-	-	51,812	88.7
2015	136	79.7	5,431	89.4	50,109	89.3
2017	142	85.8	5,086	87.0	47,508	89.1

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	73	86.7	2,445	87.9	23,377	92.0
Male	67	84.5	2,579	86.5	23,447	86.5

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	45	93.0	1,366	91.6	12,810	92.2
10th	40	87.8	1,372	88.0	12,101	90.4
11th	33	85.3	1,173	86.6	11,491	88.9
12th	22	71.4	1,107	81.4	10,475	84.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage (beer, wine, or liquor) nearly every day?

a: Very wrong ; b: Wrong ; c: A little bit wrong ; d: Not at all wrong ; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 167; 2007q999; 2009q999; 2011q999; 2013q90; 2015q92; 2017q93;

Category: Alcohol Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some alcohol if they wanted to (beer, wine, or liquor)

School

33.1%

55 of 159 students*

Region




37.7%

2,186 of 5,806 students+

NH

38.9%

20,593 of 52,966 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	24,226	37.9
2011	63	40.7	-	-	26,137	42.5
2013	55	31.9	-	-	24,146	41.5
2015	71	41.5	2,101	34.8	20,990	37.6
2017	55	33.1	2,186	37.7	20,593	38.9

Sex						
Female	27	33.8	1,119	40.9	9,738	38.6
Male	26	31.9	1,031	34.6	10,577	39.2

Grade						
09th	13	26.8	359	24.9	4,392	32.1
10th	13	26.8	668	43.5	4,937	37.2
11th	10	26.5	576	42.5	5,754	44.7
12th	18	57.1	558	40.3	5,215	42.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get some alcohol (beer, wine, or liquor) how hard or easy would it be for you to get some?

a: Very hard ; b: Sort of hard ; c: Sort of easy ; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 96; 2007q96; 2009q95; 2011q97; 2013q95; 2015q97; 2017q97;

Category: Sexual and Dating Violence

Number and Percent of students who were ever physically forced to have sexual intercourse when they did not want to

School

12.0%

20 of 165 students*

Region




6.4%

388 of 6,097 students+

NH

5.8%

3,176 of 55,173 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	4,541	7.0
2011	11	7.3	-	-	3,809	6.1
2013	15	8.5	-	-	3,333	5.7
2015	18	10.7	419	6.9	3,610	6.3
2017	20	12.0	388	6.4	3,176	5.8

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	14	17.3	295	10.2	2,307	8.8
Male	6	6.8	85	2.7	781	2.8

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	s	s	49	3.1	539	3.7
10th	s	s	92	5.8	686	5.0
11th	s	s	72	5.2	871	6.5
12th	9	28.6	172	12.0	950	7.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever been physically forced to have sexual intercourse when you did not want to?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 23; 2007q23; 2009q19; 2011q20; 2013q18; 2015q18; 2017q20;

Category: Sexual and Dating Violence

Number and Percent of students who experienced sexual violence (being forced by anyone to do sexual things that they did not want to) during the past 12 months

School

11.1%

18 of 158 students*

Region




10.3%

611 of 5,930 students+

NH

9.5%

5,044 of 53,163 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	18	11.1	611	10.3	5,044	9.5
Sex						
Female	14	16.4	465	16.7	3,805	15.3
Male	s	s	127	4.1	1,115	4.1
Grade						
09th	s	s	122	8.0	1,185	8.5
10th	s	s	130	8.3	1,157	8.7
11th	s	s	144	10.6	1,273	9.9
12th	7	23.1	197	14.2	1,265	10.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: 0 times ; b: 1 time ; c: 2 or 3 times ; d: 4 or 5 times ; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 181; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q21;

Category: Sexual and Dating Violence

Number and Percent of students who experienced sexual dating violence (among students who dated or went out with someone) during the past 12 months

School

5.2%

6 of 106 students*

Region




7.6%

288 of 3,791 students+

NH

7.3%

2,476 of 34,059 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	11	9.2	-	-	4,154	10.2
2015	21	17.0	450	11.2	4,324	11.7
2017	6	5.2	288	7.6	2,476	7.3
Sex						
Female	s	s	231	12.1	1,875	11.4
Male	s	s	42	2.3	519	3.0
Grade						
09th	0	0.0	52	5.4	574	7.5
10th	s	s	67	7.1	559	6.8
11th	0	0.0	86	9.6	691	7.9
12th	s	s	72	7.6	551	6.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months ; b: 0 times ; c: 1 time ; d: 2 or 3 times ; e: 4 or 5 times ; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 146; 2007q999; 2009q999; 2011q999; 2013q20; 2015q19; 2017q22;

Category: Sexual and Dating Violence

Number and Percent of students who experienced physical dating violence (among students who dated or went out with someone) during the past 12 months

School

13.7%

16 of 112 students*

Region




8.5%

334 of 3,943 students+

NH

7.9%

2,778 of 35,296 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	10	8.2	-	-	3,018	7.4
2015	10	8.0	267	6.6	2,939	7.8
2017	16	13.7	334	8.5	2,778	7.9
Sex						
Female	s	s	168	8.4	1,570	9.1
Male	12	22.2	138	7.3	1,107	6.3
Grade						
09th	s	s	97	9.6	586	7.3
10th	6	17.9	59	6.0	557	6.6
11th	s	s	66	7.2	751	8.3
12th	s	s	100	10.3	771	8.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

a: I did not date or go out with anyone during the past 12 months ; b: 0 times ; c: 1 time ; d: 2 or 3 times ; e: 4 or 5 times ; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 145; 2007q999; 2009q999; 2011q999; 2013q19; 2015q21; 2017q23;

Category: Sexual and Dating Violence

Number and Percent of students who were controlled or emotionally hurt by someone they were dating or going out with (among students who dated or went out with someone) during the past 12 months

School

34.3%

40 of 115 students*

Region




27.0%

1,074 of 3,973 students+

NH

25.5%

8,871 of 34,819 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	40	34.3	1,074	27.0	8,871	25.5

Sex						
Female	25	39.3	687	33.6	5,755	33.5
Male	15	27.7	353	18.8	2,927	17.1

Grade						
09th	9	29.6	287	29.1	1,836	23.6
10th	11	37.0	239	23.7	2,252	26.8
11th	s	s	260	27.2	2,341	26.1
12th	15	56.5	270	27.7	2,236	24.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did someone you were dating or going out with purposely try to control you or emotionally hurt you? (Count such things as being told who you could and could not spend time with, being humiliated in front of others, or being threatened if you did not do what they wanted.)

a: I did not date or go out with anyone during the past 12 months ; b: 0 times ; c: 1 time ; d: 2 or 3 times ; e: 4 or 5 times ; f: 6 or more times;

Numerator: cdef; denominator: bcdef;

Question number: 182; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q24;

Category: Sexual and Dating Violence

Number and Percent of students who forced someone they were dating or going out with to do sexual things that they did not want to do, among students who dated or went out with someone during the past 12 months

School

NA

NA of 114 students*

Region


2.5%

99 of 3,975 students+

NH

2.2%

769 of 34,856 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	s	s	99	2.5	769	2.2
Sex						
Female	s	s	37	1.8	267	1.6
Male	s	s	52	2.8	448	2.6
Grade						
09th	0	0.0	30	3.1	147	1.9
10th	s	s	23	2.2	176	2.1
11th	s	s	7	0.8	177	2.0
12th	0	0.0	31	3.2	191	2.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever force someone you were dating or going out with to do sexual things that they did not want to do? (Count such things as kissing, touching, or physically forcing them to have sexual intercourse.)

a: I did not date or go out with anyone during the past 12 months ; b: Yes ; c: No;

Numerator: b; denominator: bc;

Question number: 183; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q25;

Category: Sexual Risk - Behaviors

Number and Percent of students who ever had sexual intercourse

School

44.6%

74 of 153 students*

Region




39.0%

2,250 of 5,776 students+

NH

38.9%

20,201 of 51,963 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	29,103	46.3
2011	73	46.9	-	-	28,721	47.5
2013	77	45.3	-	-	24,390	42.8
2015	83	48.7	2,311	38.7	21,662	39.4
2017	74	44.6	2,250	39.0	20,201	38.9
Sex						
Female	41	50.0	1,143	41.6	9,367	37.5
Male	32	39.7	1,057	36.0	10,484	40.0
Grade						
09th	8	16.7	293	19.4	2,357	17.5
10th	20	44.7	477	30.7	4,030	31.0
11th	23	61.3	630	47.2	6,132	48.5
12th	20	68.0	804	61.6	7,321	60.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever had sexual intercourse?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 52; 2007q52; 2009q52; 2011q55; 2013q57; 2015q54; 2017q54;

Category: Sexual Risk - Behaviors

Number and Percent of students who had sexual intercourse for the first time before age 13 years

School

5.0%

8 of 153 students*

Region


2.7%

155 of 5,764 students+

NH

2.4%

1,269 of 52,656 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	2,693	4.3
2011	10	6.2	-	-	2,719	4.5
2013	9	5.1	-	-	2,287	4.0
2015	11	6.2	220	3.7	1,552	2.8
2017	8	5.0	155	2.7	1,269	2.4
Sex						
Female	s	s	60	2.2	447	1.8
Male	s	s	71	2.4	720	2.7
Grade						
09th	s	s	51	3.4	355	2.6
10th	s	s	11	0.7	227	1.7
11th	0	0.0	26	2.0	296	2.3
12th	s	s	48	3.7	281	2.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How old were you when you had sexual intercourse for the first time?

a: I have never had sexual intercourse ; b: 11 years old or younger ; c: 12 years old ; d: 13 years old ; e: 14 years old ; f: 15 years old ; g: 16 years old ; h: 17 years old or older;

Numerator: bc; denominator: abcdefgh;

Question number: 53; 2007q53; 2009q53; 2011q56; 2013q58; 2015q55; 2017q55;

Category: Sexual Risk - Behaviors

Number and Percent of students who had sexual intercourse with four or more persons during their life

School

11.5%

19 of 153 students*

Region

8.2%

474 of 5,776 students+

NH

8.6%

4,536 of 52,659 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	7,175	11.4
2011	24	15.5	-	-	7,504	12.4
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	19	11.5	474	8.2	4,536	8.6
Sex						
	#	%	#	%	#	%
Female	10	11.8	228	8.3	1,995	7.9
Male	8	10.3	223	7.6	2,423	9.1
Grade						
	#	%	#	%	#	%
09th	0	0.0	71	4.6	331	2.4
10th	s	s	63	4.1	715	5.4
11th	0	0.0	115	8.6	1,296	10.1
12th	12	40.0	213	16.3	2,086	17.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During your life, with how many people have you had sexual intercourse?

a: I have never had sexual intercourse ; b: 1 person ; c: 2 people ; d: 3 people ; e: 4 people ; f: 5 people ; g: 6 or more people;

Numerator: efg; denominator: abcdefg;

Question number: 54; 2007q54; 2009q54; 2011q57; 2013q999; 2015q999; 2017q56;

Category: Sexual Risk - Behaviors

Number and Percent of students who were currently sexually active (had sexual intercourse with at least one person) during the past 3 months

School

33.6%

56 of 154 students*

Region




29.2%

1,688 of 5,778 students+

NH

29.8%

15,713 of 52,643 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	22,769	36.3
2011	56	36.4	-	-	22,448	37.1
2013	56	32.8	-	-	20,017	35.2
2015	67	38.9	1,824	30.5	17,380	31.3
2017	56	33.6	1,688	29.2	15,713	29.8

Sex

Female	32	39.1	904	32.9	7,743	30.5
Male	23	27.9	758	25.7	7,707	29.0

Grade

09th	s	s	232	15.2	1,587	11.6
10th	12	25.6	325	21.0	2,945	22.3
11th	19	51.6	468	35.3	4,936	38.6
12th	18	60.0	641	48.5	5,980	48.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 3 months, with how many people did you have sexual intercourse?

a: I have never had sexual intercourse ; b: I have had sexual intercourse, but not during the past 3 months ; c: 1 person ; d: 2 people ; e: 3 people ; f: 4 people ; g: 5 people ; h: 6 or more people;

Numerator: cdefgh; denominator: abcdefgh;

Question number: 55; 2007q55; 2009q55; 2011q58; 2013q59; 2015q56; 2017q57;

Category: Sexual Risk - Behaviors

Number and Percent of students who drank alcohol or used drugs before last sexual intercourse
(among students who were currently sexually active)

School

24.2%

18 of 68 students*

Region




20.2%

340 of 1,682 students+

NH

18.7%

2,927 of 15,664 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	4,868	21.4
2011	19	26.2	-	-	5,081	22.7
2013	6	8.1	-	-	4,140	20.7
2015	17	20.0	319	17.5	3,277	18.9
2017	18	24.2	340	20.2	2,927	18.7

Sex						
Female	8	20.6	171	19.0	1,261	16.3
Male	8	25.9	156	20.7	1,564	20.4

Grade						
09th	s	s	44	19.1	342	21.6
10th	7	35.3	61	18.7	453	15.4
11th	s	s	83	17.7	842	17.1
12th	s	s	144	22.7	1,174	19.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Did you drink alcohol or use drugs before you had sexual intercourse the last time?

a: I have never had sexual intercourse ; b: Yes ; c: No;

Numerator: b; denominator: bc;

Question number: 56; 2007q56; 2009q56; 2011q59; 2013q60; 2015q57; 2017q58;

Category: Sexual Risk - Behaviors

Number and Percent of students who used a condom during last sexual intercourse (among students who were currently sexually active)

School

47.5%

35 of 67 students*

Region




57.2%

961 of 1,678 students+

NH

59.5%

9,290 of 15,613 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	12,780	56.8
2011	48	65.6	-	-	13,490	60.8
2013	45	58.1	-	-	10,905	55.2
2015	60	72.2	1,158	63.9	10,377	60.2
2017	35	47.5	961	57.2	9,290	59.5

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	16	38.2	511	56.8	4,275	55.4
Male	19	61.5	434	57.8	4,860	63.7

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	6	71.4	117	51.6	1,074	68.3
10th	10	47.1	188	57.9	1,958	66.7
11th	13	61.1	288	61.5	2,996	61.1
12th	6	29.4	352	55.3	3,121	52.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: The last time you had sexual intercourse, did you or your partner use a condom?

a: I have never had sexual intercourse ; b: Yes ; c: No;

Numerator: b; denominator: bc;

Question number: 57; 2007q57; 2009q57; 2011q60; 2013q61; 2015q58; 2017q59;

Category: Sexual Risk - Behaviors

Number and Percent of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)

School

29.3%

21 of 64 students*

Region




32.9%

541 of 1,645 students+

NH

30.4%

4,591 of 15,083 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	7,196	33.0
2011	17	23.0	-	-	6,889	32.4
2013	28	36.5	-	-	6,555	34.4
2015	19	23.1	564	32.9	5,404	32.7
2017	21	29.3	541	32.9	4,591	30.4

Sex						
Female	13	32.4	342	38.7	2,740	36.5
Male	7	25.0	199	27.0	1,791	24.5

Grade						
09th	0	0.0	32	14.2	222	14.9
10th	s	s	90	28.6	721	25.4
11th	7	35.3	153	32.9	1,393	29.5
12th	9	41.2	267	43.1	2,219	38.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)

a: I have never had sexual intercourse ; b: No method was used to prevent pregnancy ; c: Birth control pills ; d: Condoms ; e: An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) ; f: A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) ; g: Withdrawal or some other method ; h: Not sure;

Numerator: c; denominator: bcdefgh;

Question number: 58; 2007q58; 2009q58; 2011q61; 2013q62; 2015q59; 2017q60;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who purposely hurt themselves without wanting to die one or more times during the past 12 months

School

26.0%

43 of 165 students*

Region




17.7%

1,079 of 6,096 students+

NH

17.1%

9,412 of 55,181 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	24	14.0	-	-	10,580	17.9
2015	42	24.8	1,250	20.5	10,565	18.5
2017	43	26.0	1,079	17.7	9,412	17.1

Sex

Female	29	34.7	776	26.9	6,490	24.8
Male	12	15.1	254	8.2	2,667	9.4

Grade

09th	11	23.3	276	17.5	2,554	17.6
10th	11	23.8	312	19.4	2,386	17.4
11th	8	20.0	213	15.4	2,383	17.9
12th	11	35.7	250	17.5	1,912	14.9

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?

a: 0 times ; b: 1 time ; c: 2 or 3 times ; d: 4 or 5 times ; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 148; 2007q999; 2009q999; 2011q999; 2013q24; 2015q25; 2017q28;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities) during the past 12 months

School

34.7%

58 of 165 students*

Region




27.3%

1,666 of 6,098 students+

NH

28.0%

15,457 of 55,208 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	16,317	25.1
2011	35	22.6	-	-	15,692	25.2
2013	35	20.3	-	-	14,996	25.4
2015	53	31.2	1,671	27.4	15,578	27.2
2017	58	34.7	1,666	27.3	15,457	28.0

Sex						
Female	39	46.7	1,095	37.9	9,835	37.6
Male	17	20.5	512	16.4	5,258	18.6

Grade						
09th	14	30.2	428	27.1	3,745	25.8
10th	10	21.4	426	26.5	3,879	28.2
11th	12	31.4	328	23.6	3,790	28.5
12th	19	60.7	447	31.3	3,721	29.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 24; 2007q24; 2009q21; 2011q23; 2013q25; 2015q26; 2017q29;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who seriously considered attempting suicide ever during the past 12 months

School

16.6%

27 of 166 students*

Region




15.5%

943 of 6,068 students+

NH

16.1%

8,748 of 54,254 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	7,774	12.1
2011	23	14.6	-	-	8,892	14.3
2013	22	12.6	-	-	8,430	14.4
2015	41	24.0	1,022	16.8	8,666	15.3
2017	27	16.6	943	15.5	8,748	16.1

Sex						
Female	21	25.3	563	19.7	5,301	20.6
Male	5	6.8	330	10.6	3,182	11.5

Grade						
09th	5	11.6	206	13.0	2,172	15.3
10th	s	s	272	17.2	2,049	15.2
11th	s	s	167	12.0	2,280	17.4
12th	12	39.3	268	18.8	2,067	16.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, did you ever seriously consider attempting suicide?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 25; 2007q25; 2009q22; 2011q24; 2013q26; 2015q27; 2017q30;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who attempted suicide one or more times during the past 12 months

School

8.0%

13 of 137 students*

Region

6.3%

348 of 5,515 students+

NH

5.9%

2,983 of 50,314 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	2,872	4.7
2011	17	11.0	-	-	3,632	6.1
2013	s	s	-	-	3,776	6.7
2015	22	13.0	452	7.8	3,655	6.8
2017	13	8.0	348	6.3	2,983	5.9
Sex						
Female	7	7.8	193	7.4	1,863	7.7
Male	s	s	138	4.9	1,014	4.0
Grade						
09th	s	s	86	5.8	891	6.7
10th	s	s	106	7.2	685	5.4
11th	0	0.0	77	6.2	785	6.5
12th	7	21.7	67	5.3	534	4.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did you actually attempt suicide?

a: 0 times ; b: 1 time ; c: 2 or 3 times ; d: 4 or 5 times ; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 27; 2007q27; 2009q24; 2011q26; 2013q27; 2015q28; 2017q31;

Category: Suicide, Sadness and Helplessness

Number and Percent of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months

School

4.0%

7 of 137 students*

Region


1.7%

92 of 5,494 students+

NH

2.0%

991 of 49,278 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	1,006	1.6
2011	6	3.9	-	-	1,416	2.4
2013	0	0.0	-	-	1,408	2.5
2015	9	5.3	151	2.6	1,336	2.5
2017	7	4.0	92	1.7	991	2.0
Sex						
Female	s	s	40	1.6	601	2.5
Male	s	s	36	1.3	324	1.3
Grade						
09th	s	s	33	2.2	242	1.9
10th	0	0.0	16	1.1	215	1.7
11th	0	0.0	5	0.4	233	2.0
12th	s	s	31	2.5	238	2.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?

a: I did not attempt suicide during the past 12 months ; b: Yes ; c: No;

Numerator: b; denominator: abc;

Question number: 28; 2007q28; 2009q25; 2011q27; 2013q28; 2015q29; 2017q32;

Category: Tobacco Use - Behaviors

Number and Percent of students who first tried cigarette smoking before age 13 years (even one or two puffs)

School

12.3%

20 of 161 students*

Region




5.9%

354 of 6,033 students+

NH

6.6%

3,638 of 55,067 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	20	12.3	354	5.9	3,638	6.6
Sex						
Female	9	11.1	150	5.2	1,363	5.2
Male	10	12.7	184	6.0	2,163	7.7
Grade						
09th	s	s	87	5.6	932	6.4
10th	8	17.5	75	4.7	764	5.5
11th	s	s	73	5.3	908	6.8
12th	6	18.5	100	7.1	858	6.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How old were you when you first tried cigarette smoking, even one or two puffs?

a: I have never tried cigarette smoking, not even one or two puffs ; b: 8 years old or younger ; c: 9 or 10 years old ; d: 11 or 12 years old ; e: 13 or 14 years old ; f: 15 or 16 years old ; g: 17 years old or older;

Numerator: bcd; denominator: abcdefg;

Question number: 185; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q33;

Category: Tobacco Use - Behaviors

Number and Percent of students who currently smoked cigarettes

School

13.0%

22 of 161 students*

Region




7.8%

471 of 6,042 students+

NH

7.8%

4,279 of 54,861 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	13,491	20.8
2011	33	21.2	-	-	12,385	19.8
2013	23	13.7	-	-	8,036	13.8
2015	29	16.8	633	10.4	5,230	9.3
2017	22	13.0	471	7.8	4,279	7.8

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	13	15.1	217	7.5	1,728	6.6
Male	9	11.4	242	7.9	2,419	8.7

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	0	0.0	82	5.3	614	4.2
10th	7	15.0	106	6.6	784	5.7
11th	s	s	95	6.9	1,087	8.2
12th	10	33.3	176	12.5	1,622	12.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you smoke cigarettes?

a: 0 days ; b: 1 or 2 days ; c: 3 to 5 days ; d: 6 to 9 days ; e: 10 to 19 days ; f: 20 to 29 days ; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 30; 2007q30; 2009q27; 2011q30; 2013q30; 2015q31; 2017q34;

Category: Tobacco Use - Behaviors

Number and Percent of students who smoked more than 10 cigarettes per day (among students who currently smoked cigarettes) during the past 30 days

School

NA

NA of 21 students*

Region


12.9%

60 of 464 students+

NH

11.8%

503 of 4,257 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	s	s	-	-	1,088	13.7
2015	s	s	67	10.7	739	14.2
2017	s	s	60	12.9	503	11.8
Sex						
Female	0	0.0	4	1.8	134	7.8
Male	s	s	51	21.3	316	13.1
Grade						
09th	-	-	30	36.7	101	16.5
10th	s	s	8	7.5	66	8.4
11th	0	0.0	0	0.0	123	11.3
12th	s	s	19	10.8	133	8.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?

a: I did not smoke cigarettes during the past 30 days ; b: Less than 1 cigarette per day ; c: 1 cigarette per day ; d: 2 to 5 cigarettes per day ; e: 6 to 10 cigarettes per day ; f: 11 to 20 cigarettes per day ; g: More than 20 cigarettes per day;

Numerator: fg; denominator: bcdefg;

Question number: 149; 2007q999; 2009q999; 2011q999; 2013q31; 2015q32; 2017q35;

Category: Tobacco Use - Behaviors

Number and Percent of students who ever used an electronic vapor product one or more times during their life

School

45.3%

75 of 151 students*

Region




34.8%

2,088 of 5,995 students+

NH

41.1%

22,080 of 53,722 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	75	45.3	2,088	34.8	22,080	41.1
Sex						
Female	36	44.1	952	33.6	9,643	37.8
Male	35	43.9	1,092	35.7	12,035	43.9
Grade						
09th	12	24.4	333	21.6	3,919	28.1
10th	21	47.2	510	31.9	5,462	40.6
11th	22	58.1	576	42.3	6,019	46.2
12th	18	55.6	621	44.3	6,301	50.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Have you ever used an electronic vapor product?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 186; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q36;

Category: Tobacco Use - Behaviors

Number and Percent of students who currently used an electronic vapor product on at least 1 day during the past 30 days

School

16.4%

27 of 141 students*

Region




18.8%

1,089 of 5,776 students+

NH

23.8%

12,319 of 51,733 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	40	23.2	1,421	23.1	14,336	25.0
2017	27	16.4	1,089	18.8	12,319	23.8

Sex						
Female	10	12.7	481	17.5	5,032	20.4
Male	14	17.7	593	20.3	7,061	26.9

Grade						
09th	s	s	156	10.3	2,227	16.4
10th	8	17.1	277	18.3	2,914	22.8
11th	s	s	310	23.5	3,233	25.7
12th	9	28.0	327	24.2	3,690	30.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you use an electronic vapor product?

a: 0 days ; b: 1 or 2 days ; c: 3 to 5 days ; d: 6 to 9 days ; e: 10 to 19 days ; f: 20 to 29 days ; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 172; 2007q999; 2009q999; 2011q999; 2013q999; 2015q37; 2017q37;

Category: Tobacco Use - Behaviors

Number and Percent of students who usually obtained their own electronic vapor products by buying them in a store or gas station (among students who currently smoked cigarettes) during the past 30 days

School

NA

NA of 14 students*

Region

11.8%

104 of 880 students+

NH

10.3%

997 of 9,657 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	s	s	104	11.8	997	10.3
Sex						
Female	0	0.0	26	6.3	250	6.0
Male	s	s	78	16.8	735	13.5
Grade						
09th	0	0.0	22	13.8	67	3.1
10th	0	0.0	24	9.2	211	7.4
11th	s	s	30	9.6	424	13.8
12th	s	s	28	20.1	274	18.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how did you usually get your own electronic vapor products? (Select only one response.)

a: I did not use any electronic vapor products during the past 30 days ; b: I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store ; c: I got them on the Internet ; d: I gave someone else money to buy them for me ; e: I borrowed them from someone else ; f: A person 18 years old or older gave them to me ; g: I took them from a store or another person ; h: I got them some other way;

Numerator: b; denominator: bcdefgh;

Question number: 187; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q38;

Category: Tobacco Use - Behaviors

Number and Percent of students who currently smoked cigars (cigars, cigarillos, or little cigars)

School

8.7%

14 of 165 students*

Region

11.5%

699 of 6,104 students+

NH

9.5%

5,257 of 55,243 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	10,477	16.1
2011	21	13.9	-	-	10,234	16.4
2013	12	7.0	-	-	7,652	13.0
2015	17	9.7	637	10.4	6,283	11.0
2017	14	8.7	699	11.5	5,257	9.5
Sex						
	#	%	#	%	#	%
Female	7	8.1	241	8.3	1,455	5.6
Male	7	8.2	451	14.4	3,670	13.0
Grade						
	#	%	#	%	#	%
09th	0	0.0	103	6.5	636	4.4
10th	s	s	111	6.9	868	6.3
11th	s	s	174	12.6	1,331	10.0
12th	6	17.9	307	21.4	2,259	17.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?

a: 0 days ; b: 1 or 2 days ; c: 3 to 5 days ; d: 6 to 9 days ; e: 10 to 19 days ; f: 20 to 29 days ; g: All 30 days;

Numerator: bcdefg; denominator: abcdefg;

Question number: 32; 2007q32; 2009q29; 2011q32; 2013q38; 2015q36; 2017q39;

Category: Tobacco Use - Perceptions

Number and Percent of students who have talked with at least one of their parents or guardians about the dangers of tobacco, alcohol, or drug use during the past 12 months

School

45.6%

76 of 162 students*

Region




52.5%

3,120 of 5,941 students+

NH

51.9%

27,905 of 53,751 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	76	48.9	-	-	30,101	48.4
2013	75	43.7	-	-	29,633	50.6
2015	70	41.1	2,836	46.5	28,127	50.0
2017	76	45.6	3,120	52.5	27,905	51.9
Sex						
Female	35	41.9	1,524	53.9	13,681	53.5
Male	40	49.3	1,542	50.9	13,868	50.7
Grade						
09th	26	53.5	808	52.3	7,353	52.3
10th	24	51.2	848	54.0	7,395	55.1
11th	15	39.4	715	52.7	6,623	51.0
12th	9	28.6	701	50.7	6,184	49.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug use?

a: Yes ; b: No ; c: Not sure;

Numerator: a; denominator: abc;

Question number: 132; 2007q999; 2009q999; 2011q78; 2013q77; 2015q77; 2017q78;

Category: Tobacco Use - Perceptions

Number and Percent of students who think people greatly risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day

School

49.3%

82 of 161 students*

Region




63.2%

3,714 of 5,880 students+

NH

66.4%

35,994 of 54,184 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	43,389	67.5
2011	91	58.8	-	-	41,027	66.1
2013	93	54.6	-	-	39,102	66.8
2015	99	57.7	4,127	67.8	39,628	70.6
2017	82	49.3	3,714	63.2	35,994	66.4

Sex						
Female	39	45.9	1,790	64.1	18,292	70.7
Male	41	51.4	1,866	62.1	17,194	62.5

Grade						
09th	20	42.9	899	59.3	9,023	63.6
10th	23	48.8	1,037	66.3	9,115	67.1
11th	22	57.6	913	67.7	8,859	67.8
12th	16	50.0	803	58.9	8,551	68.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How much do you think people risk harming themselves (physically or in other ways) if they smoke one or more packs of cigarettes per day?

a: No risk ; b: Slight risk ; c: Moderate risk ; d: Great risk;

Numerator: d; denominator: abcd;

Question number: 80; 2007q80; 2009q81; 2011q82; 2013q81; 2015q82; 2017q84;

Category: Tobacco Use - Perceptions

Number and Percent of students who reported that their friends feel it would be wrong or very wrong for them to smoke tobacco

School

64.4%

107 of 161 students*

Region




62.6%

3,668 of 5,863 students+

NH

64.8%

34,549 of 53,303 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	100	58.5	-	-	33,932	58.2
2015	94	54.9	3,944	65.0	36,798	65.6
2017	107	64.4	3,668	62.6	34,549	64.8
Sex						
Female	53	63.5	1,843	66.2	17,864	70.2
Male	52	65.7	1,775	59.3	16,228	60.0
Grade						
09th	35	73.8	1,029	68.3	10,035	72.3
10th	32	68.3	1,007	64.5	8,999	67.1
11th	27	72.7	833	61.5	8,110	62.8
12th	13	39.3	737	54.4	6,978	56.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How wrong do your friends feel it would be for you to smoke tobacco?

a: Very wrong ; b: Wrong ; c: A little bit wrong ; d: Not at all wrong ; e: Not sure;

Numerator: ab; denominator: abcde;

Question number: 162; 2007q999; 2009q999; 2011q999; 2013q85; 2015q87; 2017q88;

Category: Tobacco Use - Perceptions

Number and Percent of students who think it would be very easy for them to get some cigarettes if they wanted to

School

33.8%

56 of 159 students*

Region




39.1%

2,276 of 5,822 students+

NH

35.0%

18,550 of 52,958 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	31,713	49.5
2011	80	51.9	-	-	31,398	51.0
2013	74	43.3	-	-	26,373	45.5
2015	78	45.5	2,127	35.2	20,238	36.3
2017	56	33.8	2,276	39.1	18,550	35.0
Sex						
Female	32	39.4	977	35.6	7,950	31.5
Male	23	27.8	1,250	41.8	10,243	38.0
Grade						
09th	6	12.2	302	20.8	2,652	19.4
10th	16	35.0	526	34.3	3,448	26.0
11th	8	20.0	454	33.5	4,606	35.8
12th	25	78.6	945	67.8	7,509	60.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: If you wanted to get some cigarettes, how hard or easy would it be for you to get some?

a: Very hard ; b: Sort of hard ; c: Sort of easy ; d: Very easy;

Numerator: d; denominator: abcd;

Question number: 97; 2007q97; 2009q96; 2011q96; 2013q94; 2015q96; 2017q96;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rarely or never wore a bicycle helmet among students who had ridden a bicycle during the past 12 months

School

74.4%

72 of 95 students*

Region




48.9%

1,979 of 4,048 students+

NH

57.4%

20,616 of 35,906 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	27,853	62.4
2011	70	70.9	-	-	25,783	63.2
2013	59	59.8	-	-	22,801	60.0
2015	62	66.2	1,936	48.4	21,208	56.3
2017	72	74.4	1,979	48.9	20,616	57.4

Sex

Female	22	69.0	778	47.1	7,865	52.0
Male	47	76.4	1,176	50.0	12,459	61.4

Grade

09th	25	73.3	552	44.9	5,540	51.4
10th	19	70.8	529	48.5	5,671	59.4
11th	16	82.4	384	47.8	4,738	58.8
12th	10	69.2	492	56.4	4,374	62.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: When you rode a bicycle during the past 12 months, how often did you wear a helmet?

a: I did not ride a bicycle during the past 12 months ; b: Never wore a helmet ; c: Rarely wore a helmet ; d: Sometimes wore a helmet ; e: Most of the time wore a helmet ; f: Always wore a helmet;

Numerator: bc; denominator: bcdef;

Question number: 9; 2007q9; 2009q9; 2011q9; 2013q9; 2015q9; 2017q9;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rarely or never wear a seat belt when driving among students who drive a car

School

13.3%

14 of 108 students*

Region

5.8%

252 of 4,378 students+

NH

6.3%

2,484 of 39,134 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	20	16.2	-	-	3,475	8.3
2015	23	21.2	321	7.3	3,156	7.7
2017	14	13.3	252	5.8	2,484	6.3
Sex						
Female	8	15.6	86	4.2	794	4.3
Male	7	11.8	152	6.8	1,535	7.6
Grade						
09th	s	s	30	5.3	305	6.4
10th	s	s	31	2.6	313	3.0
11th	s	s	41	3.2	591	5.0
12th	s	s	143	11.1	1,129	9.7

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How often do you wear a seat belt when driving a car?

a: I do not drive a car ; b: Never ; c: Rarely ; d: Sometimes ; e: Most of the time ; f: Always;

Numerator: bc; denominator: bcdef;

Question number: 142; 2007q999; 2009q999; 2011q999; 2013q10; 2015q10; 2017q10;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rarely or never wore a seat belt (when riding in a car driven by someone else)

School

11.9%

20 of 166 students*

Region




6.2%

380 of 6,110 students+

NH

6.9%

3,766 of 54,465 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	8,396	12.9
2011	28	18.4	-	-	6,702	10.7
2013	24	14.1	-	-	5,716	9.7
2015	36	20.8	440	7.2	4,619	8.2
2017	20	11.9	380	6.2	3,766	6.9
Sex						
Female	11	13.3	166	5.7	1,360	5.3
Male	8	9.6	192	6.2	2,246	8.1
Grade						
09th	s	s	55	3.5	689	4.8
10th	s	s	90	5.6	835	6.2
11th	5	14.3	59	4.2	885	6.7
12th	s	s	151	10.5	1,165	9.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: How often do you wear a seat belt when riding in a car driven by someone else?

a: Never ; b: Rarely ; c: Sometimes ; d: Most of the time ; e: Always;

Numerator: ab; denominator: abcde;

Question number: 10; 2007q10; 2009q10; 2011q10; 2013q11; 2015q11; 2017q11;

Category: Vehicle and Bicycle Safety

Number and Percent of students who rode with a driver who had been drinking alcohol (in a car or other vehicle) one or more times during the past 30 days

School

15.9%

26 of 166 students*

Region




13.3%

813 of 6,089 students+

NH

14.4%

7,966 of 55,226 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	15,096	23.2
2011	33	21.3	-	-	14,156	22.7
2013	13	7.8	-	-	10,249	17.4
2015	28	16.7	867	14.2	9,082	15.8
2017	26	15.9	813	13.3	7,966	14.4

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	13	16.0	418	14.6	3,951	15.1
Male	12	15.1	365	11.7	3,821	13.6

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	7	14.0	219	14.0	2,143	14.8
10th	9	19.0	185	11.5	1,995	14.4
11th	s	s	184	13.3	1,703	12.8
12th	8	25.0	209	14.6	1,956	15.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

a: 0 times ; b: 1 time ; c: 2 or 3 times ; d: 4 or 5 times ; e: 6 or more times;

Numerator: bcde; denominator: abcde;

Question number: 11; 2007q11; 2009q11; 2011q11; 2013q12; 2015q12; 2017q12;

Category: Vehicle and Bicycle Safety

Number and Percent of students who texted or e-mailed while driving a car or other vehicle on at least 1 day during the past 30 days (among students who had driven a car or other vehicle)

School

33.8%

33 of 88 students*

Region




39.8%

1,504 of 3,777 students+

NH

41.7%

14,079 of 33,762 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	27	25.3	-	-	17,162	47.7
2015	23	24.2	1,483	40.8	15,126	43.7
2017	33	33.8	1,504	39.8	14,079	41.7
Sex						
Female	16	39.4	791	43.6	6,894	43.0
Male	17	30.4	690	36.3	6,946	40.3
Grade						
09th	0	0.0	35	10.4	296	10.1
10th	s	s	182	16.9	1,516	16.8
11th	13	40.7	551	47.8	5,295	50.0
12th	13	68.8	708	61.3	6,705	62.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?

a: I did not drive a car or other vehicle during the past 30 days ; b: 0 days ; c: 1 or 2 days ; d: 3 to 5 days ; e: 6 to 9 days ; f: 10 to 19 days ; g: 20 to 29 days ; h: All 30 days;

Numerator: cdefgh; denominator: bcdefgh;

Question number: 144; 2007q999; 2009q999; 2011q999; 2013q14; 2015q14; 2017q14;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not drink 100% fruit juices during the 7 days

School

28.2%

47 of 164 students*

Region

31.0%

1,860 of 5,993 students+

NH

30.3%

16,543 of 54,667 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	35	22.6	-	-	11,559	18.6
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	47	28.2	1,860	31.0	16,543	30.3
Sex						
Female	23	28.4	920	32.5	8,547	32.8
Male	21	26.0	924	30.1	7,766	27.9
Grade						
09th	16	32.6	482	31.0	4,354	30.5
10th	16	33.3	564	35.4	4,154	30.4
11th	7	17.1	370	27.5	4,067	30.8
12th	8	25.9	416	29.5	3,721	29.2

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

a: I did not drink 100% fruit juice during the past 7 days ; b: 1 to 3 times during the past 7 days ; c: 4 to 6 times during the past 7 days ; d: 1 time per day ; e: 2 times per day ; f: 3 times per day ; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 189; 2007q59; 2009q999; 2011q63; 2013q999; 2015q999; 2017q63;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not eat fruit during the 7 days

School

14.8%

25 of 164 students*

Region




9.7%

583 of 5,989 students+

NH

10.0%

5,436 of 54,609 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	20	13.1	-	-	7,388	11.8
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	25	14.8	583	9.7	5,436	10.0
Sex						
Female	12	14.9	181	6.4	1,904	7.3
Male	12	15.1	399	13.0	3,416	12.3
Grade						
09th	7	14.0	177	11.4	1,405	9.9
10th	8	16.7	178	11.2	1,317	9.6
11th	s	s	109	8.1	1,374	10.4
12th	7	22.2	113	8.0	1,222	9.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)

a: I did not eat fruit during the past 7 days ; b: 1 to 3 times during the past 7 days ; c: 4 to 6 times during the past 7 days ; d: 1 time per day ; e: 2 times per day ; f: 3 times per day ; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 190; 2007q60; 2009q999; 2011q64; 2013q999; 2015q999; 2017q64;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not eat green salad during the 7 days

School

43.9%

73 of 163 students*

Region


37.2%

2,228 of 5,989 students+

NH

34.6%

18,926 of 54,653 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	74	47.4	-	-	21,620	34.7
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	73	43.9	2,228	37.2	18,926	34.6
Sex						
Female	30	36.5	862	30.3	7,438	28.6
Male	40	50.0	1,325	43.3	11,151	40.1
Grade						
09th	19	39.5	668	42.9	5,358	37.4
10th	25	52.4	634	40.0	4,688	34.3
11th	17	42.9	446	33.0	4,582	34.8
12th	10	34.6	449	31.8	4,018	31.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you eat green salad?

a: I did not eat green salad during the past 7 days ; b: 1 to 3 times during the past 7 days ; c: 4 to 6 times during the past 7 days ; d: 1 time per day ; e: 2 times per day ; f: 3 times per day ; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 61; 2007q61; 2009q999; 2011q65; 2013q999; 2015q999; 2017q65;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who drank a can, bottle, or glass of a sugar-sweetened beverage (not counting soda or pop or 100% fruit juice) one or more times per day during the 7 days

School

25.7%

43 of 163 students*

Region




18.3%

1,095 of 5,990 students+

NH

18.6%

10,128 of 54,587 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	38	24.8	-	-	14,238	22.9
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	43	25.7	1,095	18.3	10,128	18.6
Sex						
Female	24	28.4	424	15.0	3,905	15.0
Male	19	23.3	663	21.6	6,046	21.8
Grade						
09th	11	23.3	280	18.0	2,335	16.3
10th	13	28.6	241	15.2	2,499	18.3
11th	9	23.5	210	15.6	2,666	20.3
12th	8	25.9	352	24.9	2,450	19.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, or Sunny Delight? (Do not include soda or pop, sports drinks, energy drinks, or 100% fruit juice.)

a: I did not drink sugar-sweetened beverages during the past 7 days; b: 1 to 3 times during the past 7 days; c: 4 to 6 times during the past 7 days; d: 1 time per day; e: 2 times per day; f: 3 times per day; g: 4 or more times per day;

Numerator: defg; denominator: abcdefg;

Question number: 128; 2007q999; 2009q999; 2011q69; 2013q999; 2015q999; 2017q66;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not drink a can, bottle, or glass of soda or pop (not counting diet soda or diet pop) during the 7 days

School

26.2%

43 of 164 students*

Region




36.0%

2,166 of 6,016 students+

NH

37.4%

20,526 of 54,874 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	16,944	26.1
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	57	33.1	2,197	36.1	21,164	37.0
2017	43	26.2	2,166	36.0	20,526	37.4
Sex						
Female	25	29.3	1,154	40.3	11,877	45.5
Male	18	22.2	975	31.8	8,371	29.9
Grade						
09th	12	26.2	551	35.4	5,252	36.5
10th	9	19.0	562	35.1	5,286	38.5
11th	11	28.6	471	34.6	4,976	37.6
12th	10	32.1	536	38.0	4,766	37.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)

a: I did not drink soda or pop during the past 7 days ; b: 1 to 3 times during the past 7 days ; c: 4 to 6 times during the past 7 days ; d: 1 time per day ; e: 2 times per day ; f: 3 times per day ; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 65; 2007q65; 2009q69; 2011q999; 2013q999; 2015q62; 2017q67;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who did not drink a bottle or glass of plain water during the 7 days

School

7.3%

12 of 165 students*

Region

3.1%

184 of 5,995 students+

NH

3.1%

1,705 of 54,691 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	12	7.3	184	3.1	1,705	3.1
Sex						
Female	s	s	55	1.9	484	1.9
Male	10	12.3	129	4.2	1,164	4.2
Grade						
09th	s	s	44	2.8	421	2.9
10th	s	s	67	4.2	458	3.3
11th	s	s	27	2.0	340	2.6
12th	s	s	40	2.9	415	3.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, how many times did you drink a bottle or glass of plain water? (Count tap, bottled, and unflavored sparkling water.)

a: I did not drink water during the past 7 days ; b: 1 to 3 times during the past 7 days ; c: 4 to 6 times during the past 7 days ; d: 1 time per day ; e: 2 times per day ; f: 3 times per day ; g: 4 or more times per day;

Numerator: a; denominator: abcdefg;

Question number: 192; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q68;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who were physically active at least 60 minutes per day on 5 or more days during the 7 days

School

41.3%

69 of 165 students*

Region




44.9%

2,688 of 5,989 students+

NH

47.2%

25,806 of 54,640 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	29,419	45.3
2011	-	-	-	-	-	-
2013	64	37.3	-	-	27,560	47.0
2015	74	43.2	2,652	43.5	26,779	46.9
2017	69	41.3	2,688	44.9	25,806	47.2
Sex						
Female	24	29.3	1,044	36.7	10,056	38.7
Male	43	53.4	1,595	52.2	15,348	55.1
Grade						
09th	24	51.2	758	48.6	7,261	50.7
10th	21	45.2	748	47.5	6,589	48.2
11th	14	37.1	526	38.7	5,791	43.9
12th	7	21.4	605	43.0	5,810	45.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

a: 0 days ; b: 1 day ; c: 2 days ; d: 3 days ; e: 4 days ; f: 5 days ; g: 6 days ; h: 7 days;

Numerator: fgh; denominator: abcdefgh;

Question number: 67; 2007q67; 2009q70; 2011q999; 2013q69; 2015q63; 2017q69;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time

School

16.8%

28 of 164 students*

Region


13.6%

810 of 5,960 students+

NH

11.0%

5,918 of 53,752 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	28	16.8	810	13.6	5,918	11.0
Sex						
Female	10	12.0	351	12.5	2,471	9.7
Male	17	20.8	442	14.5	3,326	12.2
Grade						
09th	11	23.3	195	12.7	1,791	12.8
10th	8	16.7	253	16.1	1,558	11.6
11th	s	s	179	13.3	1,378	10.6
12th	6	18.5	160	11.4	1,080	8.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Do any of your classroom teachers provide short physical activity breaks during regular class time? (Do not count your physical education teacher.)

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 193; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q70;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who played on at least one sports team during the past 12 months

School

47.7%

79 of 164 students*

Region

60.8%

3,644 of 5,994 students+

NH

61.5%

33,231 of 53,994 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	79	47.7	3,644	60.8	33,231	61.5
Sex	School*		Region		State	
	#	%	#	%	#	%
Female	36	43.2	1,743	61.3	15,345	59.8
Male	43	53.4	1,857	60.7	17,438	63.4
Grade	School*		Region		State	
	#	%	#	%	#	%
09th	27	55.8	1,051	67.5	9,370	66.3
10th	18	39.0	1,005	63.2	8,671	64.2
11th	21	54.3	769	56.7	7,696	58.9
12th	13	42.9	778	55.5	7,084	56.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, on how many sports teams did you play?

a: 0 teams; b: 1 team; c: 2 teams; d: 3 or more teams;

Numerator: bcd; denominator: abcd;

Question number: 71; 2007q71; 2009q999; 2011q999; 2013q999; 2015q999; 2017q71;

Category: Physical Inactivity and Unhealthy Dietary Behaviors

Number and Percent of students who played video or computer games or used a computer 3 or more hours per day

School

49.0%

81 of 164 students*

Region




46.7%

2,793 of 5,979 students+

NH

47.8%

25,757 of 53,883 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	15,525	23.9
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	69	40.2	2,371	38.9	21,868	38.9
2017	81	49.0	2,793	46.7	25,757	47.8

Sex

Female	42	50.7	1,401	49.4	12,663	49.4
Male	37	45.8	1,358	44.5	12,607	46.0

Grade

09th	20	41.9	746	48.1	7,073	50.3
10th	28	61.0	759	47.7	6,441	47.8
11th	16	40.0	592	44.0	6,333	48.6
12th	17	53.6	664	47.3	5,442	43.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media.)

a: I do not play video or computer games or use a computer for something that is not school work ; b: Less than 1 hour per day ; c: 1 hour per day ; d: 2 hours per day ; e: 3 hours per day ; f: 4 hours per day ; g: 5 or more hours per day;

Numerator: efg; denominator: abcdefg;

Question number: 69; 2007q69; 2009q72; 2011q999; 2013q999; 2015q65; 2017q72;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who carried a weapon (such as, a gun, knife, or club) on at least 1 day during the past 30 days

School

26.9%

45 of 159 students*

Region




18.2%

1,106 of 6,073 students+

NH

16.0%

8,696 of 54,307 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	47	30.1	-	-	9,097	14.5
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	45	26.9	1,106	18.2	8,696	16.0
Sex						
Female	14	16.4	282	9.8	1,954	7.6
Male	30	37.7	791	25.4	6,501	23.5
Grade						
09th	6	11.9	274	17.4	2,034	14.3
10th	15	32.5	257	16.1	1,881	13.8
11th	11	29.4	273	19.8	2,308	17.6
12th	10	34.6	273	19.1	2,221	17.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?

a: 0 days ; b: 1 day ; c: 2 or 3 days ; d: 4 or 5 days ; e: 6 or more days;

Numerator: bcde; denominator: abcde;

Question number: 13; 2007q13; 2009q999; 2011q13; 2013q999; 2015q999; 2017q15;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who carried a weapon on school property (such as, a gun, knife, or club) on at least 1 day during the past 30 days

School

10.9%

18 of 162 students*

Region

4.8%

290 of 6,079 students+

NH

3.6%

2,000 of 55,133 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	5,709	8.8
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	18	10.9	290	4.8	2,000	3.6
Sex						
Female	s	s	72	2.5	446	1.7
Male	12	15.5	200	6.4	1,436	5.1
Grade						
09th	s	s	42	2.7	326	2.3
10th	8	17.1	41	2.6	339	2.5
11th	s	s	90	6.5	613	4.6
12th	s	s	104	7.3	576	4.5

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?

a: 0 days ; b: 1 day ; c: 2 or 3 days ; d: 4 or 5 days ; e: 6 or more days;

Numerator: bcde; denominator: abcde;

Question number: 15; 2007q15; 2009q13; 2011q999; 2013q999; 2015q999; 2017q16;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who did not go to school because they felt unsafe at school or on their way to or from school on at least 1 day during the past 30 days

School

7.9%

13 of 166 students*

Region




7.5%

461 of 6,115 students+

NH

5.2%

2,863 of 55,350 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	2,945	4.5
2011	7	4.4	-	-	3,047	4.9
2013	12	7.0	-	-	3,351	5.7
2015	23	13.6	354	5.8	3,091	5.4
2017	13	7.9	461	7.5	2,863	5.2
Sex						
Female	s	s	280	9.7	1,683	6.4
Male	9	11.0	160	5.1	1,084	3.8
Grade						
09th	0	0.0	106	6.7	845	5.8
10th	5	11.9	128	7.9	714	5.2
11th	s	s	69	5.0	561	4.2
12th	5	17.9	145	10.1	660	5.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?

a: 0 days ; b: 1 day ; c: 2 or 3 days ; d: 4 or 5 days ; e: 6 or more days;

Numerator: bcde; denominator: abcde;

Question number: 16; 2007q16; 2009q14; 2011q14; 2013q15; 2015q15; 2017q17;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were threatened or injured with a weapon (such as, a gun, knife, or club) on school property one or more times during the past 12 months

School

10.7%

18 of 165 students*

Region

8.1%

497 of 6,104 students+

NH

6.7%

3,704 of 55,319 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	18	10.7	497	8.1	3,704	6.7
Sex						
Female	7	8.0	192	6.6	1,407	5.4
Male	10	12.5	282	9.1	2,177	7.7
Grade						
09th	s	s	146	9.2	1,083	7.5
10th	9	19.0	104	6.5	975	7.1
11th	s	s	88	6.4	821	6.1
12th	s	s	145	10.1	687	5.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?

a: 0 times ; b: 1 time ; c: 2 or 3 times ; d: 4 or 5 times ; e: 6 or 7 times ; f: 8 or 9 times ; g: 10 or 11 times ; h: 12 or more times;

Numerator: bcdefgh; denominator: abcdefgh;

Question number: 17; 2007q17; 2009q999; 2011q999; 2013q999; 2015q999; 2017q18;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were in a physical fight one or more times during the past 12 months

School

17.4%

29 of 164 students*

Region




17.0%

1,033 of 6,092 students+

NH

19.2%

10,610 of 55,343 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	16,748	25.9
2011	48	30.8	-	-	14,748	23.8
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	29	17.4	1,033	17.0	10,610	19.2
Sex						
Female	13	16.0	333	11.5	3,115	11.9
Male	16	19.4	678	21.8	7,253	25.7
Grade						
09th	9	18.6	277	17.5	3,244	22.3
10th	7	14.3	274	16.9	2,806	20.3
11th	s	s	236	17.1	2,350	17.6
12th	8	25.9	241	16.8	1,940	15.1

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times were you in a physical fight?

a: 0 times ; b: 1 time ; c: 2 or 3 times ; d: 4 or 5 times ; e: 6 or 7 times ; f: 8 or 9 times ; g: 10 or 11 times ; h: 12 or more times;

Numerator: bcdefgh; denominator: abcdefgh;

Question number: 19; 2007q19; 2009q15; 2011q15; 2013q999; 2015q999; 2017q19;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were bullied on school property ever during the past 12 months

School

33.6%

56 of 161 students*

Region




21.9%

1,326 of 6,042 students+

NH

21.4%

11,581 of 54,239 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	14,360	22.1
2011	34	21.9	-	-	15,856	25.3
2013	42	24.5	-	-	13,401	22.8
2015	42	24.8	1,366	22.3	12,489	22.1
2017	56	33.6	1,326	21.9	11,581	21.4
Sex						
Female	33	39.7	796	27.7	6,625	25.7
Male	22	26.8	477	15.5	4,677	16.9
Grade						
09th	19	39.5	415	27.0	3,563	25.2
10th	14	29.3	370	23.0	3,173	23.4
11th	9	24.2	239	17.3	2,526	19.2
12th	13	40.7	256	17.9	2,019	16.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have you ever been bullied on school property?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 100; 2007q999; 2009q20; 2011q21; 2013q22; 2015q23; 2017q26;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the past 12 months)

School

27.9%

46 of 162 students*

Region




20.3%

1,231 of 6,051 students+

NH

19.0%

10,488 of 55,075 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	46	27.9	1,231	20.3	10,488	19.0
Sex						
Female	37	44.6	865	30.0	6,870	26.2
Male	8	9.9	329	10.7	3,385	12.1
Grade						
09th	14	27.9	340	21.9	3,028	21.0
10th	10	22.0	305	19.0	2,763	20.0
11th	9	24.2	274	19.8	2,406	18.1
12th	12	39.3	282	19.8	2,083	16.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have you ever been electronically bullied? (Count being bullied through texting, Instagram, Facebook, or other social media.)

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 184; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q27;

Category: Bullying, Electronic Bullying and Fighting

Number and Percent of students who had a concussion from playing a sport or being physically active one or more times during the past 12 months

School

17.3%

29 of 165 students*

Region

15.4%

926 of 6,000 students+

NH

14.4%

7,906 of 54,751 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	29	17.3	926	15.4	7,906	14.4
Sex						
Female	14	17.3	444	15.5	3,297	12.7
Male	14	17.8	459	15.0	4,455	16.0
Grade						
09th	9	18.6	276	17.7	2,104	14.7
10th	7	14.3	244	15.3	2,072	15.1
11th	8	20.0	210	15.5	1,790	13.6
12th	6	17.9	179	12.8	1,779	14.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?

a: 0 times ; b: 1 time ; c: 2 times ; d: 3 times ; e: 4 or more times;

Numerator: bcde; denominator: abcde;

Question number: 195; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q73;

Category: Other Health Risks

Number and Percent of students who described their grades in school as mostly A's or B's during the past 12 months

School

49.3%

82 of 152 students*

Region




74.6%

4,320 of 5,787 students+

NH

77.6%

40,716 of 52,481 students+



Year	School*		Region		State	
	#	%	#	%	#	%
2009	-	-	-	-	46,565	72.1
2011	85	54.8	-	-	42,678	69.1
2013	105	61.3	-	-	43,137	73.4
2015	106	62.0	4,268	72.8	40,970	74.5
2017	82	49.3	4,320	74.6	40,716	77.6

Sex	School*		Region		State	
	#	%	#	%	#	%
Female	48	56.3	2,237	81.5	21,246	84.1
Male	34	42.4	2,052	68.5	19,303	71.8

Grade	School*		Region		State	
	#	%	#	%	#	%
09th	23	51.4	1,109	73.1	10,400	75.9
10th	23	47.5	1,134	72.9	10,054	75.9
11th	20	50.0	959	73.2	9,854	76.7
12th	16	50.0	1,116	80.3	10,317	83.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, how would you describe your grades in school?

a: Mostly A's ; b: Mostly B's ; c: Mostly C's ; d: Mostly D's ; e: Mostly F's ; f: None of these grades ; g: Not sure;

Numerator: ab; denominator: abcdefg;

Question number: 8; 2007q8; 2009q8; 2011q8; 2013q8; 2015q8; 2017q8;

Category: Other Health Risks

Number and Percent of students who saw a doctor or nurse for a check-up or physical exam during the past 12 months

School

60.0%

100 of 165 students*

Region




75.4%

4,505 of 5,978 students+

NH

76.8%

41,411 of 53,918 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	43,982	68.0
2011	110	70.8	-	-	44,582	71.8
2013	-	-	-	-	-	-
2015	118	68.8	4,705	77.2	44,685	79.3
2017	100	60.0	4,505	75.4	41,411	76.8
Sex						
Female	52	62.7	2,210	77.4	20,168	78.5
Male	46	57.5	2,248	74.0	20,686	75.5
Grade						
09th	23	48.8	1,192	76.7	10,975	77.7
10th	24	52.4	1,230	77.4	10,541	78.0
11th	25	65.7	1,038	76.4	10,086	77.4
12th	24	78.6	997	71.6	9,308	74.4

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured?

a: During the past 12 months ; b: Between 12 and 24 months ago ; c: More than 24 months ago ; d: Never ; e: Not sure;

Numerator: a; denominator: abcde;

Question number: 114; 2007q999; 2009q75; 2011q74; 2013q999; 2015q69; 2017q74;

Category: Other Health Risks

Number and Percent of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work) during the past 12 months

School

63.5%

105 of 163 students*

Region




83.6%

4,989 of 5,968 students+

NH

82.8%

44,608 of 53,870 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	53,155	82.4
2011	115	74.3	-	-	49,561	79.6
2013	-	-	-	-	-	-
2015	116	67.7	4,940	81.1	46,625	82.7
2017	105	63.5	4,989	83.6	44,608	82.8
Sex						
Female	50	60.0	2,441	85.8	21,314	83.1
Male	54	67.6	2,483	81.7	22,636	82.5
Grade						
09th	26	53.5	1,259	80.9	11,769	83.5
10th	30	65.9	1,356	86.1	11,279	83.6
11th	25	64.7	1,190	87.4	10,919	83.9
12th	22	71.4	1,115	80.2	10,063	80.3

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?

a: During the past 12 months ; b: Between 12 and 24 months ago ; c: More than 24 months ago ; d: Never ; e: Not sure;

Numerator: a; denominator: abcde;

Question number: 115; 2007q999; 2009q76; 2011q75; 2013q999; 2015q68; 2017q75;

Category: Other Health Risks

Number and Percent of students who got 8 or more hours of sleep on an average school night

School

32.2%

53 of 161 students*

Region

29.9%

1,767 of 5,918 students+

NH

25.5%

13,622 of 53,460 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	61	35.5	2,151	35.3	15,921	28.4
2017	53	32.2	1,767	29.9	13,622	25.5
Sex						
Female	24	28.4	691	24.5	5,985	23.5
Male	30	37.1	1,056	34.9	7,522	27.7
Grade						
09th	22	44.2	593	38.4	4,722	33.8
10th	15	31.7	434	27.6	3,563	26.6
11th	14	37.5	405	29.8	2,633	20.4
12th	s	s	307	22.4	2,597	20.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: On an average school night, how many hours of sleep do you get?

a: 4 or less hours ; b: 5 hours ; c: 6 hours ; d: 7 hours ; e: 8 hours ; f: 9 hours ; g: 10 or more hours;

Numerator: efg; denominator: abcdefg;

Question number: 175; 2007q999; 2009q999; 2011q999; 2013q999; 2015q71; 2017q76;

Category: Other Health Risks

Number and Percent of students who had either parents or other adults in their family been in jail or in prison during the past 12 months

School

11.6%

19 of 161 students*

Region




9.4%

560 of 5,952 students+

NH

8.8%

4,759 of 53,806 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	30	17.7	607	9.9	5,228	9.3
2017	19	11.6	560	9.4	4,759	8.8
Sex						
Female	11	13.7	306	10.8	2,403	9.4
Male	8	9.9	240	7.9	2,210	8.1
Grade						
09th	s	s	158	10.2	1,342	9.5
10th	6	12.2	129	8.2	1,283	9.5
11th	0	0.0	114	8.4	1,036	8.0
12th	8	25.0	142	10.3	947	7.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, have either of your parents or other adults in your family been in jail or in prison?

a: Yes ; b: No ; c: Not sure;

Numerator: a; denominator: abc;

Question number: 177; 2007q999; 2009q999; 2011q999; 2013q999; 2015q73; 2017q77;

Category: Other Health Risks

Number and Percent of students who have someone in their family (a parent, brother, or sister) who is currently in the military

School

17.7%

29 of 162 students*

Region


17.1%

1,014 of 5,942 students+

NH

13.8%

7,402 of 53,750 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	26	15.4	1,051	17.2	8,421	15.0
2017	29	17.7	1,014	17.1	7,402	13.8
Sex						
Female	14	16.2	419	14.8	3,040	11.9
Male	16	19.7	565	18.7	4,179	15.3
Grade						
09th	7	14.0	297	19.2	2,170	15.5
10th	9	19.5	255	16.2	2,009	15.0
11th	s	s	308	22.5	1,694	13.0
12th	8	25.0	127	9.2	1,354	10.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Do you have someone in your family (a parent, brother, or sister) who is currently in the military (Air Force, Army, Marines, National Guard, Navy, or Reserves)?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 176; 2007q999; 2009q999; 2011q999; 2013q999; 2015q72; 2017q79;

Category: Other Health Risks

Number and Percent of students who worked for pay (not counting chores, babysitting, or yard work such as raking leaves, shoveling snow, or mowing grass, during the past 12 months

School

48.9%

81 of 155 students*

Region


58.5%

3,383 of 5,783 students+

NH

60.6%

32,072 of 52,913 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	81	48.9	3,383	58.5	32,072	60.6
Sex						
Female	38	43.8	1,557	56.5	14,692	58.3
Male	42	54.5	1,781	60.4	16,877	62.7
Grade						
09th	13	25.6	571	37.8	4,708	33.8
10th	18	39.5	672	44.0	6,800	51.2
11th	28	77.4	962	73.7	9,707	76.3
12th	22	70.4	1,134	83.8	10,389	84.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 12 months, which one of the following best describes the place where you most recently worked for pay? (Do not count chores, babysitting, or yard work such as raking leaves, shoveling snow, or mowing grass.)

a: I did not work for pay during the past 12 months ; b: Restaurant, including a fast food restaurant, pizza place, coffee shop, or ice cream shop ; c: Grocery store or supermarket or other type of store, such as a clothing store, gas station, pharmacy, or pet store ; d: Nursing home, hospital, clinic, or doctor's office ; e: Golf course, camp, sports center, swimming pool, amusement park, or movie theater, or other place people go for fun ; f: Construction site ; g: Farm ; h: Some other place;

Numerator: bcdefgh; denominator: abcdefgh;

Question number: 196; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q80;

Category: Other Health Risks

Number and Percent of students who strongly agree or agree that in their community they feel like they matter to people

School

39.5%

65 of 162 students*

Region




52.9%

3,115 of 5,891 students+

NH

51.5%

27,925 of 54,253 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	26,668	41.5
2011	76	49.3	-	-	29,947	48.5
2013	82	48.2	-	-	27,574	47.3
2015	-	-	-	-	-	-
2017	65	39.5	3,115	52.9	27,925	51.5
Sex						
Female	37	44.6	1,410	50.2	12,565	48.6
Male	28	35.2	1,664	55.5	15,032	54.5
Grade						
09th	20	41.9	792	51.8	7,373	52.0
10th	18	39.0	745	47.9	6,554	48.3
11th	14	36.4	770	56.7	6,771	51.6
12th	12	39.3	759	55.6	6,925	54.8

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: Do you agree or disagree that in your community you feel like you matter to people?

a: Strongly agree ; b: Agree ; c: Not sure ; d: Disagree ; e: Strongly disagree;

Numerator: ab; denominator: abcde;

Question number: 78; 2007q78; 2009q80; 2011q81; 2013q80; 2015q999; 2017q81;

Category: Other Health Risks

Number and Percent of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian cannot afford housing during the past 30 days

School

NA

NA of 161 students*

Region

1.6%

93 of 5,872 students+

NH

1.3%

726 of 54,340 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	s	s	93	1.6	726	1.3
Sex						
Female	s	s	46	1.6	390	1.5
Male	s	s	47	1.6	319	1.2
Grade						
09th	s	s	16	1.1	206	1.4
10th	s	s	25	1.6	147	1.1
11th	0	0.0	11	0.8	151	1.1
12th	s	s	41	3.0	200	1.6

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, where did you usually sleep?

a: In my parent's or guardian's home ; b: In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing ; c: In a shelter or emergency housing ; d: In a motel or hotel ; e: In a car, park, campground, or other public place ; f: I do not have a usual place to sleep ; g: Somewhere else;

Numerator: b; denominator: abcdefg;

Question number: 197; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q82;

Category: Other Health Risks

Number and Percent of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned during the past 30 days

School

NA

NA of 151 students*

Region




4.7%

274 of 5,784 students+

NH

4.5%

2,356 of 52,397 students+



	School*		Region		State	
	#	%	#	%	#	%
Year						
2009	-	-	-	-	-	-
2011	-	-	-	-	-	-
2013	-	-	-	-	-	-
2015	-	-	-	-	-	-
2017	s	s	274	4.7	2,356	4.5
Sex						
Female	s	s	133	4.8	1,149	4.6
Male	s	s	137	4.6	1,088	4.1
Grade						
09th	s	s	78	5.3	509	3.7
10th	0	0.0	51	3.3	567	4.3
11th	0	0.0	32	2.4	547	4.3
12th	s	s	102	7.6	610	5.0

Notes

*: School results are calculated using non-scientific survey data. Numbers of students responding to question are adjusted to enrollment data.

+: Region and state results are calculated and weighted using the CDC scientific survey sample. Caution should be used when comparing the school results.

s: To protect confidentiality the data have been suppressed. Cells are suppressed when the denominator is less than 60 students or the numerator is between 1 and 4 students for sex and grade. Numerators that are zero not not suppressed.

How the question was actually asked: During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?

a: Yes ; b: No;

Numerator: a; denominator: ab;

Question number: 198; 2007q999; 2009q999; 2011q999; 2013q999; 2015q999; 2017q83;